




FUJIYA

產品型錄

TOOLS Vol.1 CATALOG

QUALITY FIRST

Diagonal Cutting Pliers

Long Nose Pliers

Protech Series

Side Cutting Pliers

Minitech Series

Made in JAPAN

我們始終追求著更進步的技術以開發更高品質的產品。因為我們有長久的歷史，所以消費者對我們產品產生信賴，因此 FUJIYA 不論在國內或者是國外，都是首屈一指的領導品牌。



「品質第一」和「給世界一流產品的承諾」

2000 年在日本第一位拿到 ISO 9001 認證的剪鉗製造廠家

ISO 9001 的管理認證第一次給了日本的 Lineman' s Cutting Pillers 廠家。經過八十多年在 Lineman' s Cutting Pillers 廠家生產製造，我們藉著長年經驗累積下來的工程技術能力以及持續不斷的努力，以追求高品質的工具與品管。現在，我們雖堅持我們對製造的初衷，但我們仍試著依照消費者各式各樣的要求來製造高品質的產品。在 2003 年 10 月，我們的工廠再度得到 ISO 9001 的認證 (Year of 2000 Version) 我們堅信我們的目標，就是盡一切力量來製造值得信賴的工具、符合消費者的期望。



FUJIYA Co.,Ltd.

Head Office

2-6-32 Matsubara Higashiosaka Osaka 578-0922 Tel +81-72-963-0851 Fax -72-963-3726

Tokyo Branch

1-2-24 Kanda-Izumicho Chiyoda-ku Tokyo 101-0024 Tel +81-3-5835-0755 Fax -3-3863-4863

Kano Plant


4-4-20 Kano Higashiosaka Osaka 578-0901 Tel +81-72-964-5440

www.fujiya-kk.com



Quality first

品質第一



Meister 大師



歷史 History

- 1923 September :Established former company called Michimoto Iron Works by the founder Mr.Saichiro Michimoto and started production of Lineman's Pliers in Ikuno,Osaka, Japan.
- 1938 April :Registered "FUJIYA" Logo and produced "FUJIYA" brand Line-man's Pliers
- 1951 June :Approved as JIS(Japanese Industrial Standards)factory by certified No.651
- 1968 October :Constructed new Head office building in Higashi Osaka-city and removed to present premises
- 1976 March :Built new forging plant at Kano
- 1997 July :Rebuilt Osaka Head office building and warehouse
- 2000 March :First Lineman's Pliers manufacturer approved by Quality Management System ISO 9002
- 2002 September :Changed to new corporate Logo marks
- 2003 October :Approved Quality Management System ISO 9001:2000
- 2003 December :Awarded Chairman of Small & Medium Enterprises Corporation for System at production Line
- 2006 July :100 Selections of national IT Management / highest award company authorization
- 2007 October :It is election / commendation in Ministry of Economy, Trade and Industry "300 company 2007 version made with a cheerful thing"

科技 Technology





Diagonal Cutting Pliers

斜口鉗

No.MP1-125

MINITECH NIPPER
48 Degree edges
迷你剪鉗
48 度角



雙層手把、易開彈簧設計。
抗銹蝕不鏽鋼本體，專為極細電線設計的銳利刀鋒。
不論您是專家或玩家，我們都推薦給您！

No.MP3-125

MINITECH PLASTIC NIPPER
30 Degree edges
迷你塑膠剪鉗
30 度角



雙層手把、易開彈簧設計。
抗銹不鏽鋼本體，適合超細線的切斷工作。
適用於塑膠注射成型湯口的切斷及注塑口邊緣修整工作。

No.MP4-110

Round blade
MINITECH SMALL
NIPPER



彈簧線圈

給電子及精密儀器工業的小型、輕量剪鉗。
適合用於切斷超細線及塑膠外皮。
具有復位彈簧線圈。

No.MP5-110

Flat blade
MINITECH PLASTIC
NIPPER 平刃迷你塑膠剪鉗



彈簧線圈

小型、輕量塑膠剪鉗。
適用於塑膠工業或模型製作的湯口的切斷和
修整注塑口邊緣碎屑。
具有附位彈簧線圈。

No.MP11-100

Flat blade
MINITECH
MINI NIPPER
平刃迷你剪鉗



尖銳、超薄刀頭適用於狹窄處的精密剪切工作。

No.FMN-125S

MINI NIPPER
Round blade
New antibacterial
grip handles.




抗菌握把
ANTI BACTERIAL GRIP

圓刃迷你抗菌握把剪鉗

最受各行各業歡迎且經濟實惠的迷你斜口鉗。

No.MP1-125
No.MP3-125
No.MP4-110
No.MP5-110
No.MP11-100
No.FMN-125S



Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	i°	WEIGHT gw	CUTTING CAPACITY μ mm				BOX containing	JAN
									Steel wire	Copper wire	Stranded wire	Plastic		
MP1-125	125	126	12.5	8	49.5	8	—	50	1.0	1.6	2.0	—	6	4952520082058
MP3-125	125	126	12.5	8	49.5	8	—	50	—	—	—	3.0	6	4952520082256
MP4-110	110	111	11	7.2	51.2	11.9	25	58	1.0	1.8	2.0	—	6	4952520082348
MP5-110	110	110.3	10.9	7.4	53	12.7	20	58	—	—	—	3.0	6	4952520082447
MP11-100	100	104	10	6.5	49	12	23.7	45	0.6	1.0	—	—	6	4952520080153
FMN-125S	125	132	13.6	6.5	50	13	23	70	1.6	2.0	—	—	6	4952520003060

Diagonal Cutting Pliers

斜口鉗

無論從事電線工作、家電工業，到 DIY 使用者都可享受到本系列產品所帶來的完美性能表現。

我們憑著對製作鋒利刀口與熱處理高人一等的技術，製造出擁有更好切斷能力與更耐用的斜口鉗系列。

No.60S-125,150 標準斜口鉗

STANDARD DIAGONAL CUTTING PLIERS



有彈簧線圈(也可沒有)。
輕量、刀鋒持久性佳。
廣泛應用在電子、精密儀器工業上。

No.70H-150,175,200

SUPER HEAVY DUTY DIAGONAL CUTTING PLIERS



混合原有的特殊鋼材，本產品擁有更高的硬度及切斷能力。
刀鋒處經過細心仔細的熱加工處理。
是從事電線工作等相關事務，最受歡迎的型號之一。

No.707S-150

HEAVY DUTY DIAGONAL CUTTING PLIERS
(Sharp blade)



混合原有的特殊鋼材，本產品擁有更高的硬度及切斷能力。
刀鋒處經過細心仔細的熱加工處理。
是從事電線工作等相關事務，最受歡迎的型號之一。

No.50A-100,125,150,175

DIAGONAL CUTTING PLIERS 斜口鉗
Dual-plates pivot 雙板樞紐



不規則且銳利的邊緣，展現出極佳的切斷能力。
最適合用於電子應用與電線工作。


No.770-175,200

ELECTRICIAN'S MASTER
DIAGONAL CUTTING PLIERS
電工技師專用斜口鉗



透過使用「Micro Mirror Blade」技術，
使切斷能力約比我們以前增加 20%。
人體工學的柔軟手把，使得在工作的時候感到舒適。
含有彈簧線圈的易開設計，使得連續工作也不易疲勞。

No.60S-125,150
No.50A-100,125,150,175
No.70H-150,175,200
No.770-150,200
No.707S-150



Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	f mm	WEIGHT gw	CUTTING CAPACITY #mm				BOX containing	JAN
									Steel wire	Copper wire	Piano wire	VA-VVF line		
60S-125	125	130	14	8.5	51	17.5	23	80	1.2	2.0	—	—	6	4952520006252
60S-150	150	152	16.1	10	53	21.2	23	110	1.6	2.6	—	—	6	4952520006269
50A-100	100	111.5	12	8.5	47	17.5	37	60	1.0	1.2	—	—	6	4952520005033
50A-125	125	132	14	10	52	23.2	35	90	1.2	2.0	—	—	6	4952520005057
50A-150	150	157	15	11	53	24.4	35	120	1.2	2.6	—	—	6	4952520005064
50A-175	175	183	19	13	55	29	42	230	1.5	3.0	—	—	6	4952520005071
70H-150	150	156	22	12.5	45.5	22.6	22	150	2.0	3.0	1.0	—	6	4952520007464
70H-175	175	186	24	13	47.5	25.7	21	240	2.0	3.0	1.2	—	6	4952520007471
70H-200	200	208	26	14	51	25.9	22	320	3.0	3.5	1.2	—	6	4952520007488
770-175	175	186	24	13	47.5	25.9	22	240	2.0	3.0	—	2.0	6	4952520077078
770-200	200	208	26	13.8	51	27	22	310	2.5	3.5	—	2.6	6	4952520077085
707S-150	150	156	22	12.5	45.5	21.6	22	160	2.0	3.0	—	—	6	4952520070758



Plastic Side Cutting and End Pliers


塑膠製品專用剪鉗

從標準經濟型到薄、銳刃，提供給您多樣化的產品。
適合用於塑膠製品的湯口剪切及注塑口毛邊切除。
使用更人性化的新型抗菌握把。

No.90S-110,125,150

PLASTIC NIPPER (Round blade)

塑膠剪鉗 (圓刃)



抗菌握把
ANTIBACTERIAL GRIP




彈簧線圈

適合用於塑膠製品的湯口剪切及注塑口毛邊切除。
附彈簧的易開設計。比型號 No.90S-150 更增加
20%的剪切能力。
使用最先進的「Micro Mirror Blade」技術製造。
使用更人性化的新型抗菌手把。

No.FPN-125FS

PLASTIC NIPPER (Flat blade)

塑膠剪鉗 (平刃)




抗菌握把
ANTIBACTERIAL GRIP

對於湯口剪切與注塑口毛邊切除，
最經濟實惠且最受歡迎的型號。

No.FPN-150FS

PLASTIC NIPPER (Flat blade)

塑膠剪鉗 (平刃)




ANTIBACTERIAL GRIP
抗菌握把

No.FPN-125RS/FPN-150RS


PLASTIC NIPPER (Round blade)

塑膠剪鉗 (圓刃)



ANTIBACTERIAL GRIP
抗菌握把

No.90S-110,125,150
No.FPN-125FS,150FS
No.FPN-125RS



Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	i *	WEIGHT g/w	CUTTING CAPACITY #mm				BOX containing	JAN
									Steel wire	Copper wire	3-wire cable	Plastic		
90S-110	110	131	14	8.5	50	15.6	15.9	65	—	—	—	3.0	6	4952520009246
90S-125	125	131	14	8.5	50	15.8	18.4	75	—	—	—	3.0	6	4952520009253
90S-150	150	158	19	10	50	22.2	17	140	—	—	—	5.0	6	4952520009260
FPN-125FS	125	131	15.5	9	50	16	15	90	—	—	—	3.0	6	4952520009192
FPN-150FS	150	154	17.5	10	52	20	15	125	—	—	—	5.0	6	4952520009208
FPN-125RS	125	131	15.5	9	50	16	15	90	—	—	—	3.0	6	4952520009215
FPN-150RS	150	154	17.5	10	50	20	15	125	—	—	—	5.0	6	4952520009222



Long Nose & Short Nose Pliers

尖嘴鉗與短口尖嘴鉗

針對組裝、維修與拆卸工作等，有多種應用的選擇。
頭部區域有更強的抓取與彎曲耐用度。

No.310-150

LONG NOSE PLIER 尖嘴鉗




剝線設計

在邊緣開有 1.2mm 的孔，可以剝除電線的塑膠外皮。也可以做小螺絲釘的旋緊或放鬆。

No.360A-125,150

LONG FLAT NOSE PLIER 尖嘴扁口鉗



No.380-170


LONG NOSE PLIER 尖嘴鉗



超薄及長嘴，可以深入精密儀器複雜且狹窄的地方。

No.350S-125,150

LONG NOSE PLIER 尖嘴鉗



彈簧線圈

標準型，適合用於電子與精密儀器的組裝、修理和拆卸工作。
頭部對於抓持、彎曲與切斷工作有更加的耐用性。
有線圈彈簧的易開設計，減輕連續工作的疲勞。

No.MP9-110

MINITECH SHORT NOSE PLIER



迷你短口尖嘴鉗



彈簧線圈

有別一般的尖嘴鉗，該款設計的特別薄且短（只有18mm）。
複合型手把更適合手掌操作精細夾持與彎曲工作。

No.310-150
No.350S-125,150
No.360A-125,150
No.380-170
No.MP9-110



Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	f mm	g mm	h mm	WEIGHT g/w	CUTTING CAPACITY ϕ mm			BOX containing	JAN
											Steel wire	Copper wire			
310-150	150	160	17	10	53	9	40.5	3	2.5	120	1.5	2.6		6	4952520038079
350S-125	125	142	16	9	52	10	28.5	2.5	2	95	1.5	2.6		6	4952520035252
350S-150	150	160	17	10	53	10	40.5	3.0	2.5	120	1.5	2.6		6	4952520035269
360A-125	125	134	14	8	52	—	34	1	4	70	—	2.6		6	4952520036761
360A-150	150	157	13	8	53	—	51	1	7	100	1.5	2.6		6	4952520038079
380-170	170	172	14.5	9	52	6	46	2.5	2	110	1.0	1.5		6	4952520031063

Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	f mm	g mm	h mm	WEIGHT g/w	CUTTING CAPACITY ϕ mm			BOX containing	JAN
											Soft wire	Copper wire			
MP9-110	110	112	11	16	50	—	18	1.5	1	42	1.0	1.5		6	4952520033340



Unique design & Special Purpose Pliers 獨特設計及特殊用途鉗

FUJIYA 有著長時間累積的工程經驗，提供特殊設計及特殊用途的剪鉗系列。

No.MP6-150

MINITECH SUPER MICRO LONG NOSE PLIER
超迷你尖嘴鉗



彈簧線圈

從頭到尾都很堅韌，不易斷裂及彎曲。
有線圈彈簧的易開設計。

No.MP7-150

MINITECH TWEEZER LONG NOSE PLIER
迷你鑷子型尖嘴鉗



彈簧線圈

如鑷子般的超細、超長嘴。
小巧的把手適合再狹窄處的電線、彎曲工作。

No.MP8-150

MINITECH TWEEZER LONG NOSE PLIER
迷你鑷子型尖嘴鉗 (彎嘴)



彈簧線圈

鑷子般超薄與超長嘴構造。
彎嘴與小巧的手把適合抓取小的零件。
也適用於再狹窄處的電線、彎曲工作。

No.SP26-175




SCREW PLIER 螺絲釘起拔鉗



頭部鋸齒

對於螺栓、螺帽、螺絲釘甚至是接管的
特殊設計。
鋸齒狀的嘴，最適合用於拔除銹蝕或
損壞螺絲釘的修理工作。

No.MP6-150
No.MP7-150
No.MP8-150
No.SP26-175



Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	f mm	g mm	h mm	WEIGHT gw	CUTTING CAPACITY g/mm			BOX containing	JAN
											Soft wire	Copper wire			
MP6-150	150	166	13.4	8.5	52	8.4	47.8	2.1	1.8	98	1.5	2.6		6	4952520302262
MP7-150	150	148	9.5	6.8	47.5	7.5	52.6	1.9	1.3	48	0.8	1.2		6	4952520303269
MP8-150	150	146	9.5	6.8	47.5	7.5	51	1.9	1.3	48	0.8	1.2		6	4952520323267
SP26-175	175	172	17	9	50	—	27	—	6	160	—	—		6	4952520002674



SIDE Cutting Pliers

邊口剪鉗

超過八十年的剪鉗製造廠商，第一位通過 JIS 日本工業標準的標準型剪鉗。
使用特選的合金與長期生產累積下來的經驗。
製造出有更好切斷能力與更耐用的各式的剪鉗系列。

No.1050-150,175,200

LINEMAN'S PLIER 電工鉗



網狀夾面

符合JIS (Japan industrial Standard)
日本工業標準原型。
最受歡迎的車庫工具基本款。

No.3000-225

(With Crimping function) (有捲曲功能)

HIGH LEVERAGE LINEMAN'S PLIER

高效率槓桿電工鉗




在反面邊緣有特殊加工的六角孔洞，使得三芯的 VA 線
也能輕鬆切斷。
225mm 裝配有捲曲功能，大小為 1.25mm ~ 5.5mm。

No.3000Z-225

ELECTRICAL WORK HIGH LEVERAGE LINEMAN'S PLIER

電工專用高效率槓桿鉗。



雙層手把

有更高絕緣性的雙層手把。
(內部黃色，外部藍色)
容易識別耗損情形。
在反面邊緣有特殊加工的六角孔洞，
使得三芯的VA線也能輕鬆切斷。

No.3300-225

ELECTRICAL CRAFTSMAN 電工技師

HIGH LEVERAGE LINEMAN'S PLIER 高效率槓桿電工鉗




最新「Micro Mirror Blade」技術，提高了 20% 的切斷能力。
在反面邊緣有特殊加工的六角孔洞，使得三芯的 VA 線
也能輕鬆切斷。
有捲曲功能，大小為1.25mm~5.5mm。

No.1050-150,175,200

No.3000-255

No.3000Z-225

No.3300-225



Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	f mm	g mm	WEIGHT gw	CUTTING CAPACITY φmm			BOX containing	JAN
										Steel wire	Copper wire	Piano wire		
1050-150	150	160	22	12.5	47	13	12.7	6	120	2.2	3.0	—	6	4952520105368
1050-175	175	186	24	13.5	49	15	12.5	6.3	250	3.0	3.5	—	6	4952520105375
1050-200	200	211	27	14	51	20	15	6	350	3.4	4.0	1.2	6	4952520300084
3000z-225	225	230	28	13.5	55	21	14	7	395	3.6	4.0	2.0	6	4952520030691
3300-225	225	230	28	13.5	55	21	14	7	395	3.6	4.0	2.0	6	4952520030691



Electrician's Tools

電工工具

精選各式用途電工作業工具。

適合電工、裝潢建造，從專業到一般用途都適用。

No.600-150,200,240

CABLE HANDY CUTTER 手持電纜剪鉗



No.600-240



No.600-200



No.600-150

特殊電纜切斷剪鉗，特別適合電話線路建構工作者。
特別強調切斷橡膠 (Rubber), PU (polyurethane)管。

No.FM03-180

ELECTRIC WORK SCISSORS 電工剪刀



安全卡榫



輕易剪斷
三芯線

適合 VA VVF 電纜內部及外部作業，
與牆壁與地板的塑膠電纜外皮切斷。

No.600-500 鋁製手把電纜剪

ALUMINUM HANDLE CABLE CUTTER



適合內部與外部的電纜切斷作業。
使用輕量美觀的鋁製做工手把。

No.530-190

WIRE CLIPPER

電纜剪



本產品



一般傳統產品

專為電線切斷作業設計，
輕鬆就可以進行單手作業。

No.PC1-200





No. 600-150,200,240

No.600-500

No.FM03-180

No.530-190

No.PC1-200



Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	WEIGHT g/w	CUTTING CAPACITY #mm					BOX containing	JAN
								IV Line	VVR Line	VA-VVF Line	VCT Line	Plastic		
600-150	150	162	25	10	47	4/9	170	9.2	—	—	—	—	6	4952520060063
600-200	200	210	29	12.5	47	17	260	11.5	—	—	—	—	6	4952520060087
600-240	240	241	45	13	50	29	360	14.0	—	—	—	—	6	4952520060100
600-500	500	500	66	34	150	49	1,045	26.0	12.0	—	—	—	6	4952520060117
FM03-180	180	180	—	13.5	40	—	117	—	—	2.0	3.0X5.5mm ²	20	6	4952520002094

Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	WEIGHT g/w	CUTTING CAPACITY #mm		BOX containing	JAN
								Wire rope	Plano wire		
530-190	190	187	57	21	57	7	270	5.0	—	6	4952520053096


Art. No.	SIZE mm	a mm	b mm	c mm	d mm	e mm	WEIGHT g/w	CUTTING CAPACITY #mm		BOX containing	JAN
								Steel wire	Plano wire		
PC1-200	200	211	37	18	57.5	12	160	4.0	2.0	6	4952520065013



Hex Key Wrench Ball Point Wrench Precision Screwdriver Set


六角板手
圓球板手
精密螺絲起子組合

No.FHW-700L



鍍鎳 (非傳統電鍍表面處理) (環保電鍍)

No.FBW-700L



鍍鎳 (非傳統電鍍表面處理) (環保電鍍)

No.FBW-900L



鍍鎳 (非傳統電鍍表面處理) (環保電鍍)

No.FHW-900L



Nickel Plate (Nonelectroly Surface Treatment)
鍍鎳 (非傳統電鍍表面處理) (環保電鍍)

No.FPD-6S

Brass-made handle
黃銅製手柄



No.FHW-700L
No.FHW-900L
No.FBW-700L
No.FBW-900L
No.FPD-6S

Art. No.	SET	BOX containing	JAN
FHW-700L	1.5•2•2.5•3•4•5•6	6	4952520404010
FHW-900L	1.5•2•2.5•3•4•5•6•8•10	6	4952520404027
FBW-700L	1.5•2•2.5•3•4•5•6	6	4952520404034
FBW-900L	1.5•2•2.5•3•4•5•6•8•10	6	4952520404041
FPD-6S	+1•0•00 -2.3•1.8•1.4	10	4952520403112



Fujiya Tool Set Series

Fujiya 工具組系列

No.FET-001S



No.FET-002S



No.FET-003S



	Art. No.	NAME	SIZE mm
FET-001S	MP11-100	Minitech mini nipper	100mm
	MP9-110	Minitech short nose radio pliers	110mm
	FPT01-115	Protech tweezers (Standard)	115mm
		Case	
	LC-301	SA type cutter	
	6900(+)-0X75	Philips-head screwdriver	
	6900(-)-2.5X75	Flat-head screwdriver	
	BOX containing 1 JAN 4952520403013		

	Art. No.	NAME	SIZE mm
FET-002S	350-150	Radio pliers	150mm
	505-125	Double-ply slotted nipper angular tooth	125mm
	FPT01-115	Protech tweezers (Standard)	115mm
	FPU-01	LED pickup tool	
	FHW-107	Set of 7 Hex Key wrenches	
		Case	
	LC-301	SA type cutter	150mm
	2100	Set of replaceable screwdrivers	
	SK-150	Silver scale	
	Set of 8 GR-attached semi-round second-cut files		
	BOX containing 1 JAN 4952520403020		

	Art. No.	NAME	SIZE mm
FET-003S	350-150	Radio pliers	150mm
	505-125	Double-ply slotted nipper angular tooth	125mm
	FPT01-115	Protech tweezers (Standard)	115mm
	FPU-01	LED pickup tool	
	FHW-107	Set of 7 Hex Key wrenches	
		Case	
	UM-24	Hybrid adjustable wrench	150mm
	830-MG4	Set of replaceable screwdrivers	
	610(+)-1X100	Philips-head screwdriver	100mm
	610(-)-4X100	Flathead screwdriver	100mm
	SK-150	Silver scale	150mm
	Set of 8 GR-attached flat second-cut files		
	Set of 8 GR-attached round second-cut files		
	BOX containing 1 JAN 4952520403037		

No. FET-001S
No. FET-002S
No. FET-003S

Product Performance 產品性能

產品編號	品名	尺寸 mm	鋼線 mm	
NO.MP1-125	MINITECH NIPPER	125	Φ1.0	
NO.MP3-125	MINITECH PLASTIC NIPPER	125		
NO.MP4-110	MINITECH SMALL NIPPER	110	Φ1.0	
NO.MP5-110	MINITECH PLASTIC NIPPER	110		
NO.MP11-100	MINITECH MINI NIPPER	100	Φ0.6	
NO.FMN-125S	MINI NIPPER	125	Φ1.6	
NO.60S-125	STANDARD DIAGONAL CUTTING PLIER	125	Φ1.2	
NO.60S-150	STANDARD DIAGONAL CUTTING PLIER	150	Φ1.6	
NO.50A-100	DIAGONAL CUTTING PLIER	100	Φ1.0	
NO.50A-125	DIAGONAL CUTTING PLIER	125	Φ1.2	
NO.50A-150	DIAGONAL CUTTING PLIER	150	Φ1.2	
NO.50A-175	DIAGONAL CUTTING PLIER	175	Φ1.5	
NO.70H-150	SUPER HEAVY DUTY DIAGONAL CUTTING PLIER	150	Φ2.0	
NO.70H-175	SUPER HEAVY DUTY DIAGONAL CUTTING PLIER	175	Φ2.0	
NO.70H-200	SUPER HEAVY DUTY DIAGONAL CUTTING PLIER	200	Φ3.0	
NO.770-175	ELECTRICIAN'S MASTER DIAGONAL CUTTING PLIER	175	Φ2.0	
NO.770-200	ELECTRICIAN'S MASTER DIAGONAL CUTTING PLIER	200	Φ2.5	
NO.707S-150	HEAVY DUTY DIAGONAL CUTTING PLIER	150	Φ2.0	
NO.90S-110	PLASTIC NIPPER (Round blade)	110		
NO.90S-125	PLASTIC NIPPER (Round blade)	125		
NO.90S-150	PLASTIC NIPPER (Round blade)	150		
NO.FPN-125FS	PLASTIC NIPPER (Flat blade)	125		
NO.FPN-150FS	PLASTIC NIPPER (Flat blade)	150		
NO.FPN-125RS	PLASTIC NIPPER (Round blade)	125		
NO.FPN-150RS	PLASTIC NIPPER (Round blade)	150		
NO.310-150	LONG NOSE PLIER	150	Φ1.5	
NO.350S-125	LONG NOSE PLIER	125	Φ1.5	
NO.350S-150	LONG NOSE PLIER	150	Φ1.5	
NO.360A-125	LONG FLAT NOSE PLIER	125		
NO.360A-150	LONG FLAT NOSE PLIER	150		
NO.380-170	LONG FLAT PLIER	170	Φ1.5	
NO.MP9-110	MINITECH SHORT NOSE PLIER	110		
NO.MP6-150	MINITECH SUPER MICRO LONG NOSE PLIER	150	Φ2.6	
NO.MP7-150	MINITECH TWEEZER LONG NOSE PLIER	150	Φ1.2	
NO.MP8-150	MINITECH TWEEZER LONG NOSE PLIER	150	Φ1.2	
NO.SP26-175	SCREW PLIER	175		
NO.1050-150	LINEMAN'S PLIER	150	Φ2.2	
NO.1050-175	LINEMAN'S PLIER	175	Φ3.0	
NO.1050-200	LINEMAN'S PLIER	200	Φ3.4	
NO.3000-225	HIGH LEVERAGE LINEMAN'S PLIER	225	Φ3.6	
NO.3000Z-225	ELECTRICAL WORK HIGH LEVERAGE LINEMAN'S PLIER	225	Φ3.6	
NO.3300-225	ELECTRICAL CRAFTSMAN HIGH LEVERAGE LINEMAN'S PLIER	225	Φ3.6	
NO.600-150	CABLE HANDY CUTTER	150		
NO.600-200	CABLE HANDY CUTTER	200		
NO.600-240	CABLE HANDY CUTTER	240		
NO.600-500	ALUMINUM HANDLE CABLE CUTTER	500		
NO.FM03-180	ELECTRIC WORK SCISSORS	180		
NO.530-190	WIRE CLIPPER	190		
NO.PC1-200	ALUMINUM PIANO WIRE CLIPPER	200	Φ4.0	
NO.FHW-700L	SET OF 7 HEX KEY WRENCH			
NO.FHW-900L	SET OF 9 HEX KEY WRENCH			
NO.FBW-700L	SET OF 7 BALL POINT WRENCH			
NO.FBW-900L	SET OF 9 BALL POINT WRENCH			
NO.FPD-6S	SET OF 6 PRECISION SCREWDRIVER DRIVERS			
NO.FET-001S	SET OF 7 TOOL SERIES			
NO.FET-002S	SET OF 10 TOOL SERIES			
NO.FET-003S	SET OF 13 TOOL SERIES			

	銅線 mm	鋼琴線 mm	塑膠線 mm	其他	JAN	頁數
	Φ1.6 ◎			2.0mm ² ◎ Stranded wire	4952520082058	4
			3.0 ◎		4952520082256	4
	Φ1.8 ◎			2.0mm ² ◎ Stranded wire	4952520082348	4
			3.0 ◎		4952520082447	4
	Φ1.0 ◎				4952520080153	4
	Φ2.0 ◎				4952520003060	4
	Φ2.0 ◎				4952520006252	5
	Φ2.6 ◎				4952520006269	5
	Φ1.2 ◎				4952520005033	5
	Φ2.0 ◎				4952520005057	5
	Φ2.6 ◎				4952520005064	5
	Φ3.0 ◎				4952520005071	5
	Φ3.0 ◎	Φ1.0 ○			4952520007464	5
	Φ3.0 ◎	Φ1.2 ○			4952520007471	5
	Φ3.5 ◎	Φ1.2 ○			4952520007488	5
	Φ3.0 ◎			Φ2.0 ◎ VA/VVF three-core wires	4952520077078	5
	Φ3.5 ◎			Φ2.6 ◎ VA/VVF three-core wires	4952520077085	5
	Φ3.0 ◎				4952520070758	5
			3.0 ◎		4952520009246	6
			3.0 ◎		4952520009253	6
			5.0 ◎		4952520009260	6
			3.0 ◎		4952520009192	6
			5.0 ◎		4952520009208	6
			3.0 ◎		4952520009215	6
			5.0 ◎		4952520009222	6
	Φ2.6 ◎				4952520031063	7
	Φ2.6 ◎				4952520035252	7
	Φ2.6 ◎				4952520035269	7
					4952520036754	7
					4952520036761	7
	Φ2.6 ◎				4952520038079	7
	Φ1.5 ◎			Φ1.0 ◎ Soft wire	4952520333340	7
				Φ1.5 ◎ Soft wire	4952520302262	8
				Φ0.8 ◎ Soft wire	4952520303269	8
				Φ0.8 ◎ Soft wire	4952520323267	8
					4952520002674	8
	Φ3.0 ◎				4952520010167	9
	Φ3.5 ◎				4952520010174	9
	Φ4.0 ◎				4952520010181	9
	Φ4.0 ◎	Φ2.0 ◎		Φ2.6 ◎ VA/VVF three-core wires	4952520030097	9
	Φ4.0 ◎	Φ2.0 ◎		Φ2.6 ◎ VA/VVF three-core wires	4952520030691	9
	Φ4.0 ◎	Φ2.0 ◎		Φ2.6 ◎ VA/VVF three-core wires	4952520030707	9
				Φ9.2 ◎ IV line22mm ²	4952520060063	10
				Φ11.5 ◎ IV line38mm ²	4952520060087	10
				Φ14.0 ◎ IV line60mm ²	4952520060100	10
				Φ26.0◎IV line250mm ² ◎ Φ12.0VVR line100mm ² ◎	4952520060117	10
			20 ◎	Φ2.0 ◎ VA/VVF three-core wires Φ3.0 ◎ VCT5.5mm ²	4952520002094	10
				Φ5.0 ◎ wire rope	4952520053096	10
		Φ2.0 ◎			4952520065013	10
					4952520404010	11
					4952520404027	11
					4952520404034	11
					4952520404041	11
					4952520403112	11
					4952520403013	12
					4952520403020	12
					4952520403037	12



FUJIYA Co.,Ltd.

Head Office

2-6-32 Matsubara Higashiosaka Osaka 578-0922

Tel +81-72-963-0851 Fax -72-963-3726

Tokyo Branch

1-2-24 Kanda-Izumicho Chiyoda-ku Tokyo 101-0024

Tel +81-3-5835-0755 Fax -3-3863-4863

Kano Plant

4-4-20 Kano Higashiosaka Osaka 578-0901

Tel +81-72-964-5440

www.fujiya-kk.com